

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝 酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水		R5.4.28	7.1	5	0.5	0.58		
地下水	1		6.1	11	0.5未満	6.6		
	2		6.0	8	0.5未満	3.3		
	3		6.0	10	0.5未満	3.9		
	4		6.4	8	0.5未満	2.6		
河川水		R5.6.29	7.3	7	1.5	0.84	0.83	0.01
地下水	1		6.0	12	0.5未満	6.4	6.4	0.01未満
	2		6.1	8	0.5未満	2.0	2.0	0.01未満
	3		6.0	10	0.5未満	2.7	2.7	0.01未満
	4		7.3	12	0.5未満	0.83	0.82	0.01未満
河川水	1	R5.7.28	6.8	7	0.6	1.3	1.3	0.01未満
	2		7.8	37	20	9.9	9.2	0.77
地下水	1		6.0	12	0.5未満	6.0	6.0	0.01未満
	2		6.2	8	0.5未満	2.4	2.4	0.01未満
	3		6.0	10	0.5未満	2.3	2.3	0.01未満
	4		6.3	8	0.5未満	1.5	1.5	0.01未満
	5		5.9	9	0.5未満	3.3	3.3	0.01未満
	6		6.3	8	0.5未満	1.5	1.5	0.01未満
	7		6.2	7	0.5未満	1.4	1.4	0.01未満
	8		6.2	8	0.5未満	1.7	1.7	0.01未満
	9		6.2	10	0.5未満	2.4	2.4	0.01未満
河川水	1	R5.8.25	9.7	17	1.3	2.4	2.4	0.01未満
	2		8.3	120	82	8.0	3.5	4.5
地下水	1		6.3	12	0.5未満	6.0	6.0	0.01未満
	2		6.3	8	0.5未満	1.9	1.9	0.01未満
	3		6.3	10	0.5未満	2.5	2.5	0.01未満
	4		6.6	10	0.5未満	1.5	1.5	0.01未満
	5		6.2	9	0.5未満	2.7	2.7	0.01未満
	6		6.6	8	0.5未満	1.5	1.5	0.01未満
	7		6.6	7	0.5未満	0.9	0.86	0.01未満
	8		6.5	8	0.5未満	1.3	1.3	0.01未満
	9		6.4	10	0.5未満	2.3	2.3	0.01未満
河川水	1	R5.9.26	7.4	12	3.8	2.2	2.1	0.11
	2		7.7	40	18	8.8	8.6	0.24
地下水	1		5.8	12	0.5未満	6.5	6.5	0.01未満
	2		6.0	8	0.5未満	2.0	2.0	0.01未満
	3		5.8	10	0.5未満	2.5	2.5	0.01未満
	4		6.1	8	0.5未満	1.2	1.2	0.01未満
	5		5.8	9	0.5未満	2.6	2.6	0.01未満
	6		6.1	8	0.5未満	1.4	1.4	0.01未満
	7		6.1	7	0.5未満	0.7	0.72	0.01未満
	8		6.0	7	0.5未満	1.1	1.1	0.01未満
	9		6.1	10	0.5未満	2.3	2.3	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝 酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R5.10.26	7.5	12	3.7	1.5	1.5	0.07
	2		7.6	75	62	5.2	3.7	1.5
地下水	1		5.9	12	0.5未満	6.7	6.7	0.01未満
	2		6.0	8	0.5未満	3.2	3.2	0.01未満
	3		5.9	9	0.5未満	1.9	1.9	0.01未満
	4		6.2	8	0.5未満	1.3	1.3	0.01未満
	5		5.8	8	0.5未満	2.8	2.8	0.01未満
	6		6.3	8	0.5未満	1.3	1.3	0.01未満
	7		6.1	7	0.5未満	1.5	1.5	0.01未満
	8		6.0	8	0.5未満	1.6	1.6	0.01未満
	9		6.1	10	0.5未満	2.3	2.3	0.01未満
河川水	1	R5.11.24	7.0	7	0.7	1.2	1.2	0.01未満
	2		7.7	24	7.6	5.5	5.2	0.38
地下水	1		5.6	12	0.5未満	6.1	6.1	0.01未満
	2		5.7	8	0.5未満	3.4	3.4	0.01未満
	3		5.7	10	0.5未満	2.7	2.7	0.01未満
	4		5.9	9	0.5未満	2.2	2.2	0.01未満
	5		5.6	9	0.5未満	3.1	3.1	0.01未満
	6		6.0	8	0.5未満	1.8	1.8	0.01未満
	7		5.8	8	0.5未満	2.9	2.9	0.01未満
	8		5.7	8	0.5未満	2.2	2.2	0.01未満
	9		5.7	9	0.5未満	1.9	1.9	0.01未満
河川水	1	R5.12.21	7.1	7	0.5未満	1.2	1.2	0.01未満
	2		7.4	23	4.7	8.3	8.2	0.12
地下水	1		5.9	11	0.5未満	5.9	5.9	0.01未満
	2		5.8	8	0.5未満	3.2	3.2	0.01未満
	3		5.8	10	0.5未満	3.0	3.0	0.01未満
	4		6.1	8	0.5未満	2.7	2.7	0.01未満
	5		5.8	9	0.5未満	4.2	4.2	0.01未満
	6		6.1	8	0.5未満	2.8	2.8	0.01未満
	7		6.1	8	0.5未満	2.8	2.8	0.01未満
	8		6.0	8	0.5未満	2.7	2.7	0.01未満
	9		5.8	9	0.5未満	3.8	3.8	0.01未満
河川水	1	R6.1.24	7.1	7	0.5	0.8	0.81	0.01未満
	2		7.3	23	17	7.8	7.8	0.08
地下水	1		5.9	11	0.5未満	5.9	5.9	0.01未満
	2		5.7	9	0.5未満	4.2	4.2	0.01未満
	3		6.0	10	0.5未満	3.3	3.3	0.01未満
	4		6.2	8	0.5未満	2.9	2.9	0.01未満
	5		5.9	9	0.5未満	4.1	4.1	0.01未満
	6		6.3	9	0.5未満	3.0	3.0	0.01未満
	7		6.2	7	0.5未満	2.2	2.2	0.01未満
	8		6.2	8	0.5未満	2.9	2.9	0.01未満
	9		6.1	9	0.5未満	3.5	3.5	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R6.2.22	7.1	7	0.5未満	0.7	0.73	0.01未満
	2		7.7	18	6.5	6.9	6.8	0.11
地下水	1		5.6	11	0.5未満	5.9	5.9	0.01未満
	2		5.8	9	0.5未満	3.4	3.4	0.01未満
	3		5.7	10	0.5未満	3.3	3.3	0.01未満
	4		6.0	8	0.5未満	2.7	2.7	0.01未満
	5		5.7	9	0.5未満	3.7	3.7	0.01未満
	6		6.0	8	0.5未満	2.5	2.5	0.01未満
	7		6.0	7	0.5未満	1.6	1.6	0.01未満
	8		5.8	8	0.5未満	2.3	2.3	0.01未満
	9		5.7	9	0.5未満	2.6	2.6	0.01未満
河川水	1	R6.3.18	7.2	7	0.6	0.8	0.78	0.01未満
	2		7.5	19	5.6	5.8	5.8	0.08
地下水	1		5.9	11	0.5未満	5.9	5.9	0.01未満
	2		5.9	8	0.5未満	3.3	3.3	0.01未満
	3		6.0	10	0.5未満	2.9	2.9	0.01未満
	4		6.2	8	0.5未満	2.2	2.2	0.01未満
	5		5.9	9	0.5未満	3.6	3.6	0.01未満
	6		6.3	8	0.5未満	2.2	2.2	0.01未満
	7		6.1	7	0.5未満	1.6	1.6	0.01未満
	8		6.0	8	0.5未満	2.3	2.3	0.01未満
	9		5.9	9	0.5未満	2.3	2.3	0.01未満
河川水	1	R6.4.25	7.3	7	1.2	0.41	0.40	0.01未満
	2		7.6	33	31	1.0	0.86	0.22
地下水	1		5.7	11	0.5未満	5.9	5.9	0.01未満
	2		5.9	8	0.5未満	2.5	2.5	0.01未満
	3		5.9	10	0.5未満	3.0	3.0	0.01未満
	4		6.1	8	0.5未満	1.9	1.9	0.01未満
	5		5.8	9	0.5未満	3.2	3.2	0.01未満
	6		6.2	8	0.5未満	2.0	2.0	0.01未満
	7		6.1	7	0.5未満	1.3	1.3	0.01未満
	8		6.0	7	0.5未満	1.4	1.4	0.01未満
	9		6.0	9	0.5	3.3	3.3	0.01未満
河川水	1	R6.5.24	7.2	7	1.7	0.52	0.51	0.01未満
	2		7.7	42	29	8.9	7.5	1.4
地下水	1		5.6	11	0.5未満	6.1	6.1	0.01未満
	2		5.8	8	0.5未満	2.0	2.0	0.01未満
	3		5.7	10	0.5未満	3.2	3.2	0.01未満
	4		5.9	8	0.5未満	1.6	1.6	0.01未満
	5		5.6	9	0.5未満	3.5	3.5	0.01未満
	6		6.0	8	0.5未満	1.9	1.9	0.01未満
	7		6.0	7	0.5未満	1.0	1.0	0.01未満
	8		5.8	7	0.5未満	1.5	1.5	0.01未満
	9		5.8	9	0.5未満	2.7	2.7	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R6.6.25	7.4	7	2.6	0.72	0.70	0.02
	2		7.3	26	24	2.7	2.2	0.58
地下水	1		5.8	11	0.5未満	6.2	6.2	0.01未満
	2		5.9	8	0.5未満	2.2	2.2	0.01未満
	3		6.2	9	0.5未満	2.5	2.5	0.01未満
	4		6.4	7	0.5未満	1.3	1.3	0.01未満
	5		6.0	9	0.5未満	3.0	3.0	0.01未満
	6		6.4	8	0.5未満	1.6	1.6	0.01未満
	7		6.4	7	0.5未満	0.87	0.86	0.01未満
	8		6.3	7	0.5未満	1.4	1.4	0.01未満
	9		6.3	9	0.5未満	2.5	2.5	0.01未満
河川水	1	R6.7.24	7.0	7	0.7	0.78	0.77	0.01未満
	2		7.9	55	58	1.7	0.89	0.82
地下水	1		5.8	11	0.5未満	6.1	6.1	0.01未満
	2		6.0	8	0.5未満	2.6	2.6	0.01未満
	3		6.0	9	0.5未満	2.1	2.1	0.01未満
	4		6.1	8	0.5未満	1.9	1.9	0.01未満
	5		5.8	9	0.5未満	2.8	2.8	0.01未満
	6		6.3	8	0.5未満	1.5	1.5	0.01未満
	7		6.2	7	0.5未満	1.4	1.4	0.01未満
	8		6.0	8	0.5未満	2.0	2.0	0.01未満
	9		6.1	9	0.5未満	2.4	2.4	0.01未満
河川水	1	R6.8.27	7.1	10	0.7	1.9	1.9	0.01未満
	2		7.3	23	13	8.0	7.50	0.52
地下水	1		5.8	11	0.5未満	6.1	6.1	0.01未満
	2		6.0	8	0.5未満	2.5	2.5	0.01未満
	3		5.9	9	0.5未満	2.7	2.7	0.01未満
	4		6.1	8	0.5未満	1.7	1.7	0.01未満
	5		5.8	9	0.5未満	2.8	2.8	0.01未満
	6		6.2	8	0.5未満	1.7	1.7	0.01未満
	7		6.1	7	0.5未満	1.0	1.0	0.01未満
	8		5.9	7	0.5未満	1.4	1.4	0.01未満
	9		6.1	9	0.5未満	2.3	2.3	0.01未満
河川水	1	R6.9.26	7.1	6	0.7	1.1	1.1	0.01未満
	2		7.1	21	13	7.9	7.7	0.22
地下水	1		6.0	12	0.5未満	6.3	6.3	0.01未満
	2		6.0	8	0.5未満	2.7	2.7	0.01未満
	3		6.0	10	0.5未満	2.8	2.8	0.01未満
	4		6.3	8	0.5未満	1.1	1.1	0.01未満
	5		5.9	9	0.5未満	2.9	2.9	0.01未満
	6		6.4	8	0.5未満	1.4	1.4	0.01未満
	7		6.2	9	0.5未満	3.3	3.3	0.01未満
	8		6.1	8	0.5未満	2.1	2.1	0.01未満
	9		6.4	9	0.5未満	2.2	2.2	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝 酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R6.10.24	6.9	7	0.9	0.87	0.86	0.01未満
	2		7.4	15	7.1	3.4	3.0	0.44
地下水	1		5.7	11	0.5未満	6.1	6.1	0.01未満
	2		6.1	8	0.5未満	2.8	2.8	0.01未満
	3		6.1	10	0.5未満	3.0	3.0	0.01未満
	4		6.2	8	0.5未満	2.0	2.0	0.01未満
	5		5.9	9	0.5未満	3.4	3.4	0.01未満
	6		6.2	8	0.5未満	2.0	2.0	0.01未満
	7		6.2	7	0.5未満	1.5	1.5	0.01未満
	8		6.0	8	0.5未満	1.7	1.7	0.01未満
	9		6.2	9	0.5未満	2.1	2.1	0.01未満
河川水	1	R6.11.22	7.1	7	1.4	0.66	0.65	0.01未満
	2		7.6	12	4.8	2.0	1.9	0.1
地下水	1		5.6	11	0.5未満	5.8	5.8	0.01未満
	2		5.8	8	0.5未満	2.0	2.0	0.01未満
	3		5.7	10	0.5未満	3.3	3.3	0.01未満
	4		5.9	8	0.5未満	1.5	1.5	0.01未満
	5		5.6	9	0.5未満	3.0	3.0	0.01未満
	6		6.0	8	0.5未満	1.7	1.7	0.01未満
	7		6.0	7	0.5未満	1.3	1.3	0.01未満
	8		5.8	7	0.5未満	1.5	1.5	0.01未満
	9		5.7	8	0.5未満	1.8	1.8	0.01未満
河川水	1	R6.12.19	6.9	7	0.5未満	1.10	1.10	0.01未満
	2		7.3	17	2.0	9.0	9.0	0.05
地下水	1		5.9	11	0.5未満	6.1	6.1	0.01未満
	2		5.9	8	0.5未満	4.0	4.0	0.01未満
	3		5.9	9	0.5未満	2.5	2.5	0.01未満
	4		6.1	8	0.5未満	2.7	2.7	0.01未満
	5		5.8	9	0.5未満	4.4	4.4	0.01未満
	6		6.2	8	0.5未満	2.5	2.5	0.01未満
	7		6.1	8	0.5未満	2.6	2.6	0.01未満
	8		5.9	8	0.5未満	2.6	2.6	0.01未満
	9		6.0	9	0.5未満	3.5	3.5	0.01未満
河川水	1	R7.1.21	6.8	7	0.5未満	1.4	1.4	0.01未満
	2		7.1	16	1.1	8.4	8.4	0.02
地下水	1		5.8	11	0.5未満	5.7	5.7	0.01未満
	2		5.6	8	0.5未満	4.2	4.2	0.01未満
	3		5.9	9	0.5未満	2.9	2.9	0.01未満
	4		6.0	8	0.5未満	2.8	2.8	0.01未満
	5		5.7	9	0.5未満	4.1	4.1	0.01未満
	6		6.2	8	0.5未満	3.5	3.5	0.01未満
	7		6.2	7	0.5未満	2.0	2.0	0.01未満
	8		5.9	7	0.5未満	2.3	2.3	0.01未満
	9		5.8	8	0.5未満	3.1	3.1	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1		6.9	8	0.5	1.6	1.6	0.01未満
	2		6.9	17	0.9	9.6	9.6	0.02
地下水	1	R7.2.21	5.7	11	0.5未満	6.0	6.0	0.01未満
	2		5.9	8	0.5未満	3.2	3.2	0.01未満
	3		5.8	9	0.5未満	2.8	2.8	0.01未満
	4		6.1	8	0.5未満	2.3	2.3	0.01未満
	5		5.7	9	0.5未満	3.3	3.3	0.01未満
	6		6.1	8	0.5未満	2.5	2.5	0.01未満
	7		6.0	7	0.5未満	1.5	1.5	0.01未満
	8		5.9	7	0.5未満	2.0	2.0	0.01未満
	9		5.8	8	0.5未満	2.5	2.5	0.01未満
河川水	1		7.2	7	0.5	0.65	0.64	0.01未満
	2		7.1	8	1.0	2.8	2.8	0.03
地下水	1	R7.3.18	6.0	11	0.5未満	5.6	5.6	0.01未満
	2		6.2	8	0.5未満	2.7	2.7	0.01未満
	3		6.2	9	0.5未満	2.8	2.8	0.01未満
	4		6.4	8	0.5未満	1.8	1.8	0.01未満
	5		6.0	8	0.5未満	2.8	2.8	0.01未満
	6		6.4	8	0.5未満	2.0	2.0	0.01未満
	7		6.4	7	0.5未満	1.7	1.7	0.01未満
	8		6.2	7	0.5未満	1.9	1.9	0.01未満
	9		6.3	8	0.5未満	1.9	1.9	0.01未満
河川水	1		7.1	7	0.5	0.46	0.45	0.01未満
	2		6.7	10	0.8	7.1	7.1	0.01未満
地下水	1	R7.4.22	5.7	11	0.5未満	6.0	6.0	0.01未満
	2		5.6	8	0.5未満	3.0	3.0	0.01未満
	3		5.9	9	0.5未満	3.0	3.0	0.01未満
	4		6.1	8	0.5未満	2.2	2.2	0.01未満
	5		5.7	9	0.5未満	3.4	3.4	0.01未満
	6		6.1	8	0.5未満	2.2	2.2	0.01未満
	7		6.0	7	0.5未満	1.5	1.5	0.01未満
	8		5.9	8	0.5未満	2.1	2.1	0.01未満
	9		6.1	9	0.5未満	2.7	2.7	0.01未満
河川水	1		6.8	6	1.1	0.56	0.55	0.01未満
	2		7.2	12	2.2	6.3	6.3	0.07
地下水	1	R7.5.20	5.6	11	0.5未満	6.2	6.2	0.01未満
	2		5.8	8	0.5未満	2.5	2.5	0.01未満
	3		5.7	9	0.5未満	3.6	3.6	0.01未満
	4		6.0	7	0.5未満	1.8	1.8	0.01未満
	5		5.6	9	0.5未満	3.5	3.5	0.01未満
	6		5.9	8	0.5未満	2.0	2.0	0.01未満
	7		5.9	7	0.5未満	1.2	1.2	0.01未満
	8		5.7	7	0.5未満	1.5	1.5	0.01未満
	9		5.8	9	0.5未満	2.5	2.5	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝 酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R7.6.24	7.3	6	2.2	0.65	0.64	0.01未満
	2		7.4	6	4.3	1	0.98	0.04
地下水	1		5.8	11	0.5未満	6	6	0.01未満
	2		5.9	8	0.5未満	1.7	1.7	0.01未満
	3		5.8	10	0.5未満	3.2	3.2	0.01未満
	4		6.3	7	0.5未満	1.3	1.3	0.01未満
	5		5.9	9	0.5未満	2.9	2.9	0.01未満
	6		6.6	8	0.5未満	1.6	1.6	0.01未満
	7		6.2	7	0.5未満	0.98	0.97	0.01未満
	8		6	7	0.5未満	1.3	1.3	0.01未満
	9		6.1	9	0.5未満	2.3	2.3	0.01未満
河川水	1	R7.7.22	7.1	7	1.6	0.56	0.55	0.01未満
	2		7.3	20	12	0.02	0.01	0.01未満
地下水	1		5.8	11	0.5未満	6.2	6.2	0.01未満
	2		6	7	0.5未満	1.5	1.5	0.01未満
	3		6	10	0.5未満	3	3	0.01未満
	4		6.2	7	0.5未満	1.1	1.1	0.01未満
	5		5.9	8	0.5未満	2.6	2.6	0.01未満
	6		6.2	8	0.5未満	1.4	1.4	0.01未満
	7		6.2	7	0.5未満	0.89	0.88	0.01未満
	8		6.1	7	0.5未満	1.2	1.2	0.01未満
	9		6.2	9	0.5未満	2.4	2.4	0.01未満
河川水	1	R7.8.19	7.2	7	0.7	0.97	0.96	0.01未満
	2		7.7	14	6.3	3.3	3.3	0.02
地下水	1		6.3	11	0.5未満	6.3	6.3	0.01未満
	2		6.5	7	0.5未満	1.7	1.7	0.01未満
	3		6.5	10	0.5未満	2.8	2.8	0.01未満
	4		6.7	7	0.5未満	1	0.99	0.01未満
	5		6.3	8	0.5未満	2.6	2.6	0.01未満
	6		6.6	8	0.5未満	1.2	1.2	0.01未満
	7		6.6	7	0.5未満	1.6	1.6	0.01未満
	8		6.5	8	0.5未満	1.5	1.5	0.01未満
	9		6.6	9	0.5未満	2.2	2.2	0.01未満
河川水	1	R7.9.24	6.9	6	0.9	0.76	0.75	0.01未満
	2		7.2	16	3.3	9.4	9.4	0.01未満
地下水	1		5.9	11	0.5未満	5.8	5.8	0.01未満
	2		6	7	0.5未満	1.8	1.8	0.01未満
	3		6	10	0.5未満	3	3	0.01未満
	4		6.2	8	0.5未満	1.7	1.7	0.01未満
	5		5.9	9	0.5未満	2.9	2.9	0.01未満
	6		6.2	8	0.5未満	1.6	1.6	0.01未満
	7		6.1	8	0.5未満	2.3	2.3	0.01未満
	8		6	8	0.5未満	2	2	0.01未満
	9		6.3	9	0.5未満	2.1	2.1	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R7.10.21	7	6	0.5	0.61	0.6	0.01未満
	2		7.1	12	0.8	7.2	7.2	0.01未満
地下水	1		5.7	11	0.5未満	5.8	5.8	0.01未満
	2		5.9	8	0.5未満	2.1	2.1	0.01未満
	3		5.8	10	0.5未満	3.4	3.4	0.01未満
	4		6.1	8	0.5未満	2.1	2.1	0.01未満
	5		5.7	9	0.5未満	3	3	0.01未満
	6		6.2	8	0.5未満	2.2	2.2	0.01未満
	7		6	7	0.5未満	1.4	1.4	0.01未満
	8		5.9	7	0.5未満	1.7	1.7	0.01未満
	9		6.1	9	0.5未満	2.1	2.1	0.01未満
河川水	1	R7.11.19	7.3	7	0.5未満	0.63	0.62	0.01未満
	2		7.2	18	1.2	5.7	5.7	0.01未満
地下水	1		6.2	11	0.5未満	5.8	5.8	0.01未満
	2		6.5	8	0.5未満	2.7	2.7	0.01未満
	3		6.4	9	0.5未満	3.1	3.1	0.01未満
	4		6.6	8	0.5未満	1.8	1.8	0.01未満
	5		6.1	8	0.5未満	3	3	0.01未満
	6		6.7	8	0.5未満	1.7	1.7	0.01未満
	7		6.4	7	0.5未満	1.5	1.5	0.01未満
	8		6.3	7	0.5未満	1.7	1.7	0.01未満
	9		6.3	8	0.5未満	2.3	2.3	0.01未満
河川水	1	R7.12.16	7.1	6	0.5未満	0.61	0.6	0.01未満
	2		7.1	11	0.9	4.4	4.4	0.01未満
地下水	1		6	11	0.5未満	5.8	5.8	0.01未満
	2		6.2	8	0.5未満	2.6	2.6	0.01未満
	3		6.2	9	0.5未満	3.2	3.2	0.01未満
	4		6.4	7	0.5未満	1.8	1.8	0.01未満
	5		6	8	0.5未満	2.5	2.5	0.01未満
	6		6.4	8	0.5未満	1	1	0.01未満
	7		6.3	7	0.5未満	1	1	0.01未満
	8		6.3	7	0.5未満	1.9	1.9	0.01未満
	9		6.2	8	0.5未満	2.1	2.1	0.01未満
河川水	1	R8.1.20	6.9	7	0.9	0.7	0.69	0.01未満
	2		6.9	9	1.2	3.5	3.5	0.01未満
地下水	1		5.7	11	0.5未満	5.8	5.8	0.01未満
	2		5.6	7	0.5未満	3.1	3.1	0.01未満
	3		5.8	9	0.5未満	3.1	3.1	0.01未満
	4		6	7	0.5未満	2	2	0.01未満
	5		5.7	9	0.5未満	3.5	3.5	0.01未満
	6		6.1	8	0.5未満	1.8	1.8	0.01未満
	7		6.1	7	0.5未満	1.6	1.6	0.01未満
	8		5.9	7	0.5未満	2.1	2.1	0.01未満
	9		5.8	8	0.5未満	2.1	2.1	0.01未満

村上市

採水地点		採水日	pH	電気伝導率 (mS/m)	全有機炭素 (mg/L)	硝酸性及び亜硝 酸性窒素(mg/L)	硝酸性窒素 (mg/L)	亜硝酸性窒素 (mg/L)
河川水	1	R8.2.18	7.1	7	0.5未満	0.68	0.67	0.01未満
	2		6.9	11	1.3	5.6	5.6	0.01未満
地下水	1		5.8	11	0.5未満	5.8	5.8	0.01未満
	2		5.8	7	0.5未満	2.3	2.3	0.01未満
	3		5.8	9	0.5未満	2.6	2.6	0.01未満
	4		6	7	0.5未満	2	2	0.01未満
	5		5.8	8	0.5未満	3.2	3.2	0.01未満
	6		6.2	8	0.5未満	1.7	1.7	0.01未満
	7		6.1	7	0.5未満	1	1	0.01未満
	8		6	7	0.5未満	1.5	1.5	0.01未満
	9		5.9	7	0.5未満	1.7	1.7	0.01未満
河川水	1	R8.3.17	7	6	0.5未満	0.6	0.59	0.01未満
	2		6.8	11	1	6.6	6.6	0.01未満
地下水	1		5.8	11	0.5未満	5.4	5.4	0.01未満
	2		5.6	7	0.5未満	2.4	2.4	0.01未満
	3		5.9	9	0.5未満	2.3	2.3	0.01未満
	4		6	7	0.5未満	1.5	1.5	0.01未満
	5		5.7	8	0.5未満	3	3	0.01未満
	6		6.1	7	0.5未満	1.6	1.6	0.01未満
	7		6.1	7	0.5未満	1.2	1.2	0.01未満
	8		5.9	7	0.5未満	1.7	1.7	0.01未満
	9		5.8	8	0.5未満	1.7	1.7	0.01未満