

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) | |
|------|-----|---------|---------|-----------------|-----------------|-----------------------|-----------------|------------------|--------|
| 河川水 | 1 | R5.6.30 | 6.5 | 30 | 6.8 | 3.9 | 3.9 | 0.03 | |
| | 2 | | 6.6 | 32 | 5.0 | 4.1 | 4.1 | 0.09 | |
| 地下水 | 1 | | 5.8 | 12 | 0.50 | 4.0 | 4.0 | 0.01未満 | |
| | 2 | | 6.8 | 23 | 6.3 | 5.1 | 5.1 | 0.01 | |
| | 3 | | 6.9 | 24 | 4.2 | 1.3 | 1.3 | 0.01未満 | |
| | 4 | | 6.3 | 13 | 1.7 | 2.2 | 2.2 | 0.01未満 | |
| | 5 | | 5.9 | 9 | 0.5未満 | 0.8 | 0.75 | 0.01未満 | |
| | 6 | | 6.6 | 30 | 7.2 | 3.4 | 3.4 | 0.03 | |
| | 7 | | 6.5 | 32 | 1.6 | 4.4 | 4.4 | 0.01未満 | |
| 8 | 6.4 | | 43 | 2.1 | 22 | 22 | 0.03 | | |
| 9 | 6.8 | | 12 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R5.7.24 | 6.6 | 44 | 5.3 | 7.3 | 7.3 | 0.03 |
| | 2 | | | 6.7 | 38 | 3.6 | 5.8 | 5.8 | 0.07 |
| 地下水 | 1 | | | 5.9 | 12 | 0.5未満 | 2.9 | 2.9 | 0.01未満 |
| | 2 | | | 7.0 | 24 | 4.1 | 3.3 | 3.3 | 0.01未満 |
| | 3 | | | 6.9 | 25 | 3.4 | 0.98 | 0.97 | 0.01未満 |
| | 4 | | | 6.4 | 12 | 0.90 | 1.8 | 1.8 | 0.01未満 |
| | 5 | | | 6.0 | 7 | 0.5未満 | 0.71 | 0.70 | 0.01未満 |
| | 6 | 6.6 | | 44 | 5.6 | 6.4 | 6.4 | 0.05 | |
| | 7 | 6.6 | | 33 | 1.0 | 4.1 | 4.1 | 0.01未満 | |
| 8 | 6.6 | 44 | | 1.4 | 16 | 16 | 0.01未満 | | |
| 9 | 6.7 | 8 | | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R5.8.24 | | 6.6 | 35 | 5.6 | 6.8 | 6.7 | 0.11 |
| | 2 | | | 6.6 | 38 | 4.4 | 7.0 | 7.0 | 0.08 |
| 地下水 | 1 | | | 5.9 | 12 | 0.5未満 | 3.2 | 3.2 | 0.01未満 |
| | 2 | | | 7.0 | 22 | 4.1 | 2.9 | 2.9 | 0.01未満 |
| | 3 | | | 7.1 | 23 | 3.7 | 1.8 | 1.8 | 0.01未満 |
| | 4 | | | 6.4 | 12 | 0.80 | 1.4 | 1.4 | 0.01未満 |
| | 5 | | | 6.0 | 7 | 0.5未満 | 0.71 | 0.70 | 0.01未満 |
| | 6 | | 6.6 | 37 | 5.4 | 8.2 | 8.1 | 0.11 | |
| | 7 | | 6.7 | 43 | 2.0 | 4.0 | 4.0 | 0.01未満 | |
| 8 | 6.6 | | 38 | 2.2 | 12 | 12 | 0.01 | | |
| 9 | 6.9 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R5.9.22 | 7.1 | 37 | 6.3 | 6.0 | 6.0 | 0.07 |
| | 2 | | | 6.7 | 38 | 4.4 | 5.9 | 5.9 | 0.09 |
| 地下水 | 1 | | | 6.0 | 12 | 0.5未満 | 2.5 | 2.5 | 0.01未満 |
| | 2 | | | 6.7 | 24 | 3.5 | 2.9 | 2.9 | 0.01未満 |
| | 3 | | | 7.0 | 24 | 2.6 | 0.5 | 0.46 | 0.01未満 |
| | 4 | | | 6.4 | 13 | 0.80 | 1.3 | 1.3 | 0.01未満 |
| | 5 | | | 6.1 | 7 | 0.5未満 | 0.73 | 0.72 | 0.01未満 |
| | 6 | 6.7 | | 38 | 6.6 | 8.0 | 8.0 | 0.07 | |
| | 7 | 6.6 | | 37 | 1.4 | 3.1 | 3.1 | 0.01未満 | |
| 8 | 6.6 | 38 | | 1.5 | 18 | 18 | 0.01未満 | | |
| 9 | 7.1 | 8 | | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) | |
|------|---|----------|----------|-----------------|-----------------|-----------------------|-----------------|------------------|--------|
| 河川水 | 1 | R5.10.26 | 7.0 | 42 | 6.6 | 11 | 11 | 0.03 | |
| | 2 | | 6.7 | 37 | 4.4 | 5.8 | 5.8 | 0.07 | |
| 地下水 | 1 | | 5.9 | 11 | 0.5未満 | 2.7 | 2.7 | 0.01未満 | |
| | 2 | | 7.1 | 24 | 3.4 | 4.1 | 4.1 | 0.01 | |
| | 3 | | 7.0 | 25 | 2.6 | 0.32 | 0.31 | 0.01未満 | |
| | 4 | | 6.3 | 14 | 0.7 | 2.3 | 2.3 | 0.01未満 | |
| | 5 | | 6.0 | 7 | 0.5未満 | 0.81 | 0.80 | 0.01未満 | |
| | 6 | | - | - | - | - | - | - | |
| | 7 | | - | - | - | - | - | - | |
| | 8 | | - | - | - | - | - | - | |
| | 9 | | 6.7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | | R5.11.27 | 6.6 | 41 | 6.6 | 6.4 | 6.4 | 0.03 |
| | 2 | | | 6.7 | 39 | 4.8 | 4.9 | 4.9 | 0.05 |
| 地下水 | 1 | | | 5.9 | 13 | 0.5未満 | 2.7 | 2.7 | 0.01未満 |
| | 2 | | | 6.7 | 25 | 3.2 | 3.7 | 3.7 | 0.01 |
| | 3 | | | 6.9 | 26 | 2.7 | 2.9 | 2.9 | 0.01未満 |
| | 4 | | | 6.4 | 13 | 0.6 | 1.8 | 1.8 | 0.01未満 |
| | 5 | | | 5.9 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | - | | - | - | - | - | - | |
| | 7 | - | | - | - | - | - | - | |
| | 8 | - | | - | - | - | - | - | |
| | 9 | 6.6 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | R5.12.18 | | 6.7 | 44 | 7.6 | 6.2 | 6.2 | 0.04 |
| | 2 | | | 6.7 | 40 | 5.1 | 4.8 | 4.8 | 0.05 |
| 地下水 | 1 | | | 5.8 | 11 | 0.5未満 | 3.0 | 3.0 | 0.01未満 |
| | 2 | | | 6.8 | 36 | 3.7 | 3.7 | 3.7 | 0.01未満 |
| | 3 | | | 6.9 | 34 | 3.3 | 6.2 | 6.2 | 0.01未満 |
| | 4 | | | 6.4 | 12 | 0.6 | 1.9 | 1.9 | 0.01未満 |
| | 5 | | | 5.9 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | | - | - | - | - | - | - | |
| | 7 | | - | - | - | - | - | - | |
| | 8 | | - | - | - | - | - | - | |
| | 9 | | 6.7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | | R6.1.25 | 6.9 | 48 | 7.3 | 4.9 | 4.8 | 0.11 |
| | 2 | | | 6.9 | 41 | 5.2 | 3.6 | 3.6 | 0.08 |
| 地下水 | 1 | | | 5.9 | 12 | 0.5未満 | 3.7 | 3.7 | 0.01未満 |
| | 2 | | | 6.8 | 34 | 3.2 | 4.4 | 4.4 | 0.01未満 |
| | 3 | | | 6.8 | 38 | 3.2 | 9.4 | 9.4 | 0.04 |
| | 4 | | | 6.5 | 12 | 0.8 | 5.6 | 5.6 | 0.01未満 |
| | 5 | | | 6.0 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | - | | - | - | - | - | - | |
| | 7 | - | | - | - | - | - | - | |
| | 8 | - | | - | - | - | - | - | |
| | 9 | 6.8 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) |
|------|-----|---------|-------|-----------------|-----------------|-----------------------|-----------------|------------------|
| 河川水 | 1 | R6.2.22 | 6.7 | 43 | 5.4 | 4.2 | 4.2 | 0.05 |
| | 2 | | 6.7 | 38 | 4.4 | 3.2 | 3.2 | 0.07 |
| 地下水 | 1 | | 5.8 | 12 | 0.5未満 | 4.4 | 4.4 | 0.01未満 |
| | 2 | | 6.7 | 34 | 3.4 | 4.1 | 4.1 | 0.01未満 |
| | 3 | | 6.7 | 47 | 3.2 | 13.0 | 13 | 0.01未満 |
| | 4 | | 6.4 | 13 | 0.8 | 6.3 | 6.3 | 0.01未満 |
| | 5 | | 5.9 | 7 | 0.5未満 | 0.71 | 0.7 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R6.3.14 | 6.6 | 43 | 4.8 | 3.9 | 3.9 | 0.03 |
| | 2 | | 6.8 | 38 | 4.1 | 2.9 | 2.9 | 0.06 |
| 地下水 | 1 | | 5.8 | 13 | 0.5未満 | 5.5 | 5.5 | 0.01未満 |
| | 2 | | 6.6 | 20 | 3.0 | 9.2 | 9.2 | 0.01未満 |
| | 3 | | 6.8 | 44 | 3.1 | 9.6 | 9.6 | 0.01未満 |
| | 4 | | 6.4 | 11 | 1.0 | 4.3 | 4.3 | 0.01未満 |
| | 5 | | 5.9 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R6.4.24 | 6.7 | 41 | 4.8 | 4.1 | 4.1 | 0.04 |
| | 2 | | 6.7 | 39 | 4.0 | 3.0 | 3.0 | 0.07 |
| 地下水 | 1 | | 6.0 | 12 | 0.5未満 | 4.4 | 4.4 | 0.01未満 |
| | 2 | | 6.9 | 23 | 4.3 | 11 | 11 | 0.01未満 |
| | 3 | | 6.9 | 36 | 3.0 | 7.0 | 7.0 | 0.01未満 |
| | 4 | | 6.5 | 11 | 1.0 | 2.6 | 2.6 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.78 | 0.77 | 0.01未満 |
| | 6 | | 6.7 | 47 | 4.4 | 4.8 | 4.8 | 0.09 |
| | 7 | | 6.7 | 24 | 1.2 | 6.8 | 6.8 | 0.01未満 |
| 8 | 6.6 | 28 | 1.3 | 5.7 | 5.7 | 0.01未満 | | |
| 9 | 6.9 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R6.5.30 | 6.7 | 36 | 5.0 | 3.9 | 3.9 | 0.03 |
| | 2 | | 6.7 | 38 | 4.1 | 2.9 | 2.9 | 0.06 |
| 地下水 | 1 | | 5.9 | 12 | 0.5未満 | 3.9 | 3.9 | 0.01未満 |
| | 2 | | 6.9 | 26 | 4.9 | 9.2 | 9.2 | 0.01未満 |
| | 3 | | 6.9 | 34 | 4.0 | 5.3 | 5.3 | 0.01未満 |
| | 4 | | 6.4 | 12 | 0.9 | 2.8 | 2.8 | 0.01未満 |
| | 5 | | 6.0 | 7 | 0.5未満 | 0.81 | 0.8 | 0.01未満 |
| | 6 | | 6.6 | 43 | 5.2 | 6.7 | 6.7 | 0.05 |
| | 7 | | 6.6 | 25 | 1.1 | 6.3 | 6.3 | 0.01未満 |
| 8 | 6.4 | 33 | 1.3 | 7.6 | 7.6 | 0.01未満 | | |
| 9 | 6.9 | 9 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) | |
|------|---|---------|---------|-----------------|-----------------|-----------------------|-----------------|------------------|--------|
| 河川水 | 1 | R6.6.27 | 6.7 | 34 | 4.7 | 5.6 | 5.6 | 0.04 | |
| | 2 | | 6.7 | 40 | 4.1 | 3.2 | 3.2 | 0.07 | |
| 地下水 | 1 | | 5.9 | 12 | 0.5未満 | 4.5 | 4.5 | 0.01未満 | |
| | 2 | | 6.9 | 26 | 4.3 | 8.2 | 8.2 | 0.01 | |
| | 3 | | 6.9 | 31 | 3.9 | 2.3 | 2.3 | 0.01未満 | |
| | 4 | | 6.4 | 13 | 0.9 | 2.9 | 2.9 | 0.01未満 | |
| | 5 | | 6.0 | 7 | 0.5未満 | 0.80 | 0.79 | 0.01未満 | |
| | 6 | | 6.6 | 47 | 6.2 | 15 | 15 | 0.08 | |
| | 7 | | 6.7 | 26 | 1.1 | 5.5 | 5.5 | 0.01未満 | |
| | 8 | | 6.3 | 39 | 1.3 | 10 | 10 | 0.01未満 | |
| | 9 | | 6.7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | | R6.7.25 | 6.7 | 19 | 3.5 | 4.6 | 4.6 | 0.02 |
| | 2 | | | 6.6 | 40 | 4.1 | 5.6 | 5.6 | 0.05 |
| 地下水 | 1 | | | 5.8 | 11 | 0.5未満 | 3.1 | 3.1 | 0.01未満 |
| | 2 | | | 6.9 | 29 | 4.0 | 5.8 | 5.8 | 0.01未満 |
| | 3 | | | 6.9 | 30 | 3.3 | 0.4 | 0.4 | 0.01未満 |
| | 4 | | | 6.3 | 13 | 0.9 | 2.2 | 2.2 | 0.01未満 |
| | 5 | | | 5.9 | 7 | 0.5未満 | 0.77 | 0.76 | 0.01未満 |
| | 6 | 6.5 | | 44 | 6.3 | 12 | 12 | 0.05 | |
| | 7 | 6.6 | | 33 | 1.2 | 3.9 | 3.9 | 0.01未満 | |
| | 8 | 6.3 | | 43 | 1.3 | 14 | 14 | 0.01未満 | |
| | 9 | 6.7 | | 9 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | R6.8.29 | | 6.7 | 44 | 6.4 | 11 | 11 | 0.05 |
| | 2 | | | 6.6 | 45 | 4.8 | 5.6 | 5.6 | 0.07 |
| 地下水 | 1 | | | 5.8 | 11 | 0.5未満 | 2.3 | 2.3 | 0.01未満 |
| | 2 | | | 6.8 | 25 | 3.4 | 4.2 | 4.2 | 0.01未満 |
| | 3 | | | 6.9 | 31 | 3.7 | 1.7 | 1.7 | 0.01未満 |
| | 4 | | | 6.3 | 16 | 1.0 | 1.9 | 1.9 | 0.01未満 |
| | 5 | | | 6.0 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | | 6.5 | 71 | 9.2 | 41 | 41 | 0.12 | |
| | 7 | | 6.6 | 37 | 1.3 | 5.2 | 5.2 | 0.01未満 | |
| | 8 | | 6.3 | 47 | 1.3 | 15 | 15 | 0.01未満 | |
| | 9 | | 6.8 | 7 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |
| 河川水 | 1 | | R6.9.26 | 6.8 | 44 | 7.2 | 9.2 | 9.2 | 0.04 |
| | 2 | | | 6.9 | 46 | 5.1 | 6.2 | 6.2 | 0.06 |
| 地下水 | 1 | | | 5.9 | 12 | 0.5未満 | 2.2 | 2.2 | 0.01未満 |
| | 2 | | | 7.0 | 30 | 3.5 | 4.1 | 4.1 | 0.01未満 |
| | 3 | | | 7.0 | 32 | 3.0 | 0.39 | 0.38 | 0.01未満 |
| | 4 | | | 6.3 | 14 | 1.0 | 1.7 | 1.7 | 0.01未満 |
| | 5 | | | 6.0 | 7 | 0.5未満 | 0.69 | 0.68 | 0.01未満 |
| | 6 | 6.6 | | 39 | 8.3 | 4.1 | 4.1 | 0.03 | |
| | 7 | 6.7 | | 43 | 1.7 | 7.4 | 7.4 | 0.01未満 | |
| | 8 | 6.4 | | 44 | 1.3 | 16 | 16 | 0.01未満 | |
| | 9 | 6.9 | | 9 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) |
|------|-----|----------|-------|-----------------|-----------------|-----------------------|-----------------|------------------|
| 河川水 | 1 | R6.10.24 | 6.8 | 46 | 7.5 | 16 | 16 | 0.05 |
| | 2 | | 6.8 | 46 | 4.9 | 8.7 | 8.6 | 0.13 |
| 地下水 | 1 | | 6.0 | 11 | 0.5未満 | 2.8 | 2.8 | 0.01未満 |
| | 2 | | 7.2 | 25 | 3.0 | 4.7 | 4.7 | 0.01未満 |
| | 3 | | 6.9 | 32 | 3.3 | 0.65 | 0.64 | 0.01未満 |
| | 4 | | 6.4 | 15 | 1.1 | 2.5 | 2.5 | 0.01未満 |
| | 5 | | 6.0 | 7 | 0.5未満 | 0.67 | 0.66 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.8 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R6.11.28 | 6.7 | 35 | 6.8 | 8.9 | 8.9 | 0.04 |
| | 2 | | 6.7 | 44 | 4.8 | 7.4 | 7.3 | 0.13 |
| 地下水 | 1 | | 5.8 | 12 | 0.5未満 | 3.7 | 3.7 | 0.01未満 |
| | 2 | | 6.8 | 31 | 3.3 | 3.6 | 3.6 | 0.01未満 |
| | 3 | | 6.8 | 36 | 3.5 | 1.1 | 1.1 | 0.01未満 |
| | 4 | | 6.3 | 13 | 0.9 | 2.4 | 2.4 | 0.01未満 |
| | 5 | | 5.9 | 7 | 0.5未満 | 0.68 | 0.67 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.7 | 23 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R6.12.19 | 6.8 | 46 | 9.0 | 9.0 | 9.0 | 0.05 |
| | 2 | | 6.8 | 46 | 5.7 | 6.4 | 6.4 | 0.09 |
| 地下水 | 1 | | 5.9 | 13 | 0.5未満 | 6.2 | 6.2 | 0.01未満 |
| | 2 | | 6.9 | 31 | 3.6 | 6.2 | 6.2 | 0.01未満 |
| | 3 | | 6.9 | 38 | 4.5 | 3.2 | 3.2 | 0.01未満 |
| | 4 | | 6.5 | 14 | 0.8 | 4.8 | 4.8 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.69 | 0.68 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.8 | 9 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R7.1.30 | 6.9 | 44 | 7.1 | 5.8 | 5.7 | 0.19 |
| | 2 | | 6.9 | 43 | 5.3 | 4.8 | 4.7 | 0.16 |
| 地下水 | 1 | | 5.9 | 14 | 0.5未満 | 6.2 | 6.2 | 0.01未満 |
| | 2 | | 6.7 | 33 | 3.2 | 4.8 | 4.8 | 0.01未満 |
| | 3 | | 6.9 | 40 | 4.8 | 6.3 | 6.3 | 0.02 |
| | 4 | | 6.5 | 12 | 0.7 | 5.7 | 5.7 | 0.01未満 |
| | 5 | | 6.0 | 7 | 0.5未満 | 0.70 | 0.69 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | | |
| 9 | 6.8 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) | |
|------|-----|---------|---------|-----------------|-----------------|-----------------------|-----------------|------------------|--------|
| 河川水 | 1 | R7.2.27 | 7.0 | 48 | 6.3 | 6.0 | 5.9 | 0.16 | |
| | 2 | | 7.0 | 42 | 4.7 | 4.7 | 4.6 | 0.11 | |
| 地下水 | 1 | | 5.9 | 13 | 0.5未満 | 5.9 | 5.9 | 0.01未満 | |
| | 2 | | 6.8 | 26 | 2.0 | 5.7 | 5.7 | 0.01未満 | |
| | 3 | | 7.0 | 41 | 4.9 | 7.9 | 7.9 | 0.01 | |
| | 4 | | 6.5 | 14 | 0.8 | 7.4 | 7.4 | 0.01未満 | |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.70 | 0.69 | 0.01未満 | |
| | 6 | | - | - | - | - | - | - | |
| | 7 | | - | - | - | - | - | - | |
| 8 | - | | - | - | - | - | - | | |
| 9 | 6.3 | | 1700 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R7.3.19 | 6.7 | 44 | 5.3 | 3.0 | 3.0 | 0.04 |
| | 2 | | | 6.9 | 41 | 4.4 | 3.2 | 3.2 | 0.06 |
| 地下水 | 1 | | | 5.8 | 13 | 0.5未満 | 5.9 | 5.9 | 0.01未満 |
| | 2 | | | 6.8 | 27 | 2.9 | 5.5 | 5.5 | 0.01未満 |
| | 3 | | | 6.9 | 38 | 4.3 | 4.7 | 4.7 | 0.01未満 |
| | 4 | | | 6.4 | 15 | 0.7 | 5.4 | 5.4 | 0.01未満 |
| | 5 | | | 6.1 | 7 | 0.5未満 | 0.66 | 0.65 | 0.01未満 |
| | 6 | - | | - | - | - | - | - | |
| | 7 | - | | - | - | - | - | - | |
| 8 | - | - | | - | - | - | - | | |
| 9 | 6.7 | 8 | | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R7.4.24 | | 6.8 | 40 | 5.0 | 2.4 | 2.4 | 0.02 |
| | 2 | | | 6.8 | 40 | 4.6 | 3.0 | 3.0 | 0.06 |
| 地下水 | 1 | | | 5.9 | 12 | 0.5未満 | 4.3 | 4.3 | 0.01未満 |
| | 2 | | | 6.9 | 22 | 3.5 | 5.7 | 5.7 | 0.01未満 |
| | 3 | | | 7.1 | 31 | 3.4 | 4.9 | 4.9 | 0.01未満 |
| | 4 | | | 6.4 | 14 | 1.2 | 3.6 | 3.6 | 0.01未満 |
| | 5 | | | 6.1 | 7 | 0.5未満 | 0.73 | 0.72 | 0.01未満 |
| | 6 | | 6.8 | 31.0 | 3.0 | 1.6 | 1.6 | 0.0 | |
| | 7 | | 6.8 | 25.0 | 1.1 | 7.9 | 7.9 | 0.01未満 | |
| 8 | 6.4 | | 41.0 | 1.2 | 10.0 | 10.0 | 0.1 | | |
| 9 | 6.8 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R7.5.29 | 6.6 | 36 | 4.4 | 2.1 | 2.1 | 0.02 |
| | 2 | | | 6.8 | 40 | 4.3 | 3.4 | 3.4 | 0.08 |
| 地下水 | 1 | | | 5.9 | 13 | 0.5未満 | 5.1 | 5.1 | 0.01未満 |
| | 2 | | | 7.1 | 28 | 4.5 | 2.2 | 2.2 | 0.01 |
| | 3 | | | 7.0 | 39 | 3.6 | 9.0 | 9.0 | 0.01未満 |
| | 4 | | | 6.5 | 12 | 0.8 | 2.0 | 2 | 0.01未満 |
| | 5 | | | 5.9 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | 6.9 | | 32.0 | 2.9 | 1.5 | 1.5 | 0.1 | |
| | 7 | 6.8 | | 41.0 | 1.6 | 12.0 | 12.0 | 0.01未満 | |
| 8 | 6.4 | 46.0 | | 1.3 | 8.4 | 8.4 | 0.01未満 | | |
| 9 | 6.9 | 9 | | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) |
|------|-----|---------|-------|-----------------|-----------------|-----------------------|-----------------|------------------|
| 河川水 | 1 | R7.6.26 | 6.8 | 38 | 5 | 2.4 | 2.4 | 0.02 |
| | 2 | | 6.8 | 42 | 4.5 | 4.4 | 4.4 | 0.09 |
| 地下水 | 1 | | 5.9 | 12 | 0.5未満 | 4.7 | 4.7 | 0.01未満 |
| | 2 | | 6.9 | 24 | 4.3 | 6.4 | 6.4 | 0.01未満 |
| | 3 | | 6.9 | 35 | 3.8 | 1.6 | 1.6 | 0.01未満 |
| | 4 | | 6.4 | 13 | 1.1 | 2.6 | 2.6 | 0.01未満 |
| | 5 | | 6 | 7 | 0.5未満 | 0.71 | 0.7 | 0.01未満 |
| | 6 | | 6.8 | 32 | 2.9 | 1.3 | 1.3 | 0.02 |
| | 7 | | 6.8 | 29 | 1 | 9 | 9 | 0.01未満 |
| 8 | 6.3 | 55 | 1.7 | 13 | 13 | 0.01未満 | | |
| 9 | 6.8 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R7.7.24 | 6.7 | 35 | 5.3 | 7.7 | 7.7 | 0.09 |
| | 2 | | 6.7 | 44 | 4.7 | 5.6 | 5.5 | 0.14 |
| 地下水 | 1 | | 5.9 | 12 | 0.5未満 | 4.4 | 4.4 | 0.01未満 |
| | 2 | | 7 | 22 | 3.8 | 3.3 | 3.3 | 0.01未満 |
| | 3 | | 6.9 | 32 | 4.2 | 1.2 | 1.2 | 0.01未満 |
| | 4 | | 6.4 | 14 | 1.1 | 2.5 | 2.5 | 0.01未満 |
| | 5 | | 6 | 7 | 0.5未満 | 0.72 | 0.71 | 0.01未満 |
| | 6 | | 6.7 | 39 | 4.6 | 4.2 | 4.2 | 0.03 |
| | 7 | | 6.6 | 48 | 2.1 | 12 | 12 | 0.01未満 |
| 8 | 6.2 | 61 | 2.5 | 14 | 14 | 0.01未満 | | |
| 9 | 6.8 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R7.8.28 | 6.7 | 56 | 12 | 17 | 17 | 0.07 |
| | 2 | | 6.9 | 46 | 6.5 | 8.2 | 7.9 | 0.32 |
| 地下水 | 1 | | 5.9 | 11 | 0.5未満 | 2.9 | 2.9 | 0.01未満 |
| | 2 | | 7 | 20 | 3.2 | 1.7 | 1.7 | 0.01未満 |
| | 3 | | 6.9 | 33 | 3.4 | 1.5 | 1.5 | 0.01未満 |
| | 4 | | 6.6 | 12 | 0.8 | 2 | 2 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.7 | 0.69 | 0.01未満 |
| | 6 | | 6.8 | 62 | 8.2 | 11 | 11 | 0.05 |
| | 7 | | 6.6 | 47 | 2.2 | 12 | 12 | 0.01未満 |
| 地下水 | 8 | R7.8.28 | 6.3 | 70 | 2 | 29 | 29 | 0.01未満 |
| | 9 | | 7 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 |
| 河川水 | 1 | R7.9.25 | 7 | 49 | 12 | 9.5 | 9.5 | 0.09 |
| | 2 | | 6.8 | 46 | 6.5 | 6.4 | 6.3 | 0.11 |
| 地下水 | 1 | | 5.9 | 11 | 0.5未満 | 2.5 | 2.5 | 0.01未満 |
| | 2 | | 7.1 | 16 | 2.6 | 1.8 | 1.8 | 0.01未満 |
| | 3 | | 7.1 | 34 | 3.2 | 0.52 | 0.51 | 0.01未満 |
| | 4 | | 6.7 | 12 | 0.8 | 1.6 | 1.6 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.69 | 0.68 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | 6.8 | 33 | 1 | 5.6 | 5.6 | 0.01未満 |
| 8 | 6.3 | 62 | 1.7 | 30 | 30 | 0.1 | | |
| 9 | 6.9 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) | |
|------|-----|----------|----------|-----------------|-----------------|-----------------------|-----------------|------------------|--------|
| 河川水 | 1 | R7.10.23 | 6.7 | 44 | 11 | 7.1 | 7.1 | 0.05 | |
| | 2 | | 6.7 | 43 | 6.1 | 5.2 | 5.2 | 0.09 | |
| 地下水 | 1 | | 6 | 10 | 0.5未満 | 2 | 2 | 0.01未満 | |
| | 2 | | 7.1 | 19 | 1.9 | 4 | 4 | 0.01未満 | |
| | 3 | | 6.8 | 36 | 3.5 | 0.63 | 0.62 | 0.01未満 | |
| | 4 | | 6.6 | 12 | 0.7 | 1.6 | 1.6 | 0.01未満 | |
| | 5 | | 5.9 | 7 | 0.5未満 | 0.67 | 0.66 | 0.01未満 | |
| | 6 | | - | - | - | - | - | - | |
| | 7 | | - | - | - | - | - | - | |
| 8 | - | | - | - | - | - | - | | |
| 9 | 6.7 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R7.11.27 | 6.9 | 41 | 10 | 4.9 | 4.9 | 0.03 |
| | 2 | | | 6.9 | 41 | 6.9 | 4.3 | 4.3 | 0.08 |
| 地下水 | 1 | | | 6 | 10 | 0.7 | 1.8 | 1.8 | 0.01未満 |
| | 2 | | | 6.9 | 20 | 2.6 | 7.1 | 7.1 | 0.01未満 |
| | 3 | | | 6.8 | 36 | 4.1 | 0.85 | 0.84 | 0.01未満 |
| | 4 | | | 6.6 | 13 | 0.9 | 3.8 | 3.8 | 0.01未満 |
| | 5 | | | 6 | 7 | 0.6 | 0.67 | 0.66 | 0.01未満 |
| | 6 | - | | - | - | - | - | - | |
| | 7 | - | | - | - | - | - | - | |
| 8 | - | - | | - | - | - | - | | |
| 9 | 6.8 | 8 | | 0.9 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R7.12.18 | | 6.8 | 40 | 9.7 | 5.1 | 5.1 | 0.03 |
| | 2 | | | 7.2 | 41 | 5.8 | 3.6 | 3.6 | 0.09 |
| 地下水 | 1 | | | 5.9 | 11 | 0.5未満 | 1.7 | 1.7 | 0.01未満 |
| | 2 | | | 7 | 19 | 2.1 | 5.4 | 5.4 | 0.01未満 |
| | 3 | | | 7.1 | 35 | 3.4 | 1 | 1 | 0.01未満 |
| | 4 | | | 6.6 | 13 | 1.2 | 5 | 5 | 0.01未満 |
| | 5 | | | 6.4 | 7 | 0.5 | 0.66 | 0.65 | 0.01未満 |
| | 6 | | - | - | - | - | - | - | |
| | 7 | | - | - | - | - | - | - | |
| 8 | - | | - | - | - | - | - | | |
| 9 | 7 | | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | | R8.1.29 | 7.2 | 46 | 8.5 | 2.8 | 2.8 | 0.06 |
| | 2 | | | 7 | 43 | 5.8 | 2.9 | 2.8 | 0.1 |
| 地下水 | 1 | | | 6.1 | 12 | 2.5 | 2.9 | 2.9 | 0.02 |
| | 2 | | | 6.9 | 24 | 2.3 | 9.3 | 9.3 | 0.01 |
| | 3 | | | 6.8 | 33 | 4 | 4.4 | 4.4 | 0.02 |
| | 4 | | | 6.5 | 19 | 2.5 | 9.5 | 9.5 | 0.01未満 |
| | 5 | | | 6.1 | 7 | 0.5未満 | 0.73 | 0.72 | 0.01未満 |
| | 6 | - | | - | - | - | - | - | |
| | 7 | - | | - | - | - | - | - | |
| 8 | - | - | | - | - | - | - | | |
| 9 | 6.8 | 8 | | 0.7 | 0.02未満 | 0.01未満 | 0.01未満 | | |

胎内市

| 採水地点 | | 採水日 | pH | 電気伝導率 (mS/m) | 全有機炭素 (mg/L) | 硝酸性及び亜硝 酸性窒素(mg/L) | 硝酸性窒素 (mg/L) | 亜硝酸性窒素 (mg/L) |
|------|-----|---------|-------|-----------------|-----------------|-----------------------|-----------------|------------------|
| 河川水 | 1 | R8.2.26 | 6.9 | 43 | 6.5 | 2.4 | 2.4 | 0.06 |
| | 2 | | 6.8 | 40 | 4.4 | 2.8 | 2.7 | 0.1 |
| 地下水 | 1 | | 6 | 12 | 0.5未満 | 3.2 | 3.2 | 0.01未満 |
| | 2 | | 6.9 | 20 | 2.7 | 9.6 | 9.6 | 0.01未満 |
| | 3 | | 6.7 | 34 | 3.5 | 4.2 | 4.2 | 0.01未満 |
| | 4 | | 6.4 | 14 | 1 | 6.7 | 6.7 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.75 | 0.74 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| | 8 | | - | - | - | - | - | - |
| 9 | 6.9 | 8 | 0.7 | 0.02未満 | 0.01未満 | 0.01未満 | | |
| 河川水 | 1 | R8.3.19 | 6.7 | 37 | 6.1 | 2.1 | 2.1 | 0.04 |
| | 2 | | 6.8 | 38 | 3.9 | 2.4 | 2.4 | 0.09 |
| 地下水 | 1 | | 5.9 | 11 | 0.5未満 | 3.5 | 3.5 | 0.01未満 |
| | 2 | | 6.8 | 20 | 2.9 | 9 | 9 | 0.01未満 |
| | 3 | | 6.9 | 33 | 3 | 3.4 | 3.4 | 0.01 |
| | 4 | | 6.4 | 13 | 1.1 | 4.4 | 4.4 | 0.01未満 |
| | 5 | | 6.1 | 7 | 0.5未満 | 0.74 | 0.73 | 0.01未満 |
| | 6 | | - | - | - | - | - | - |
| | 7 | | - | - | - | - | - | - |
| | 8 | | - | - | - | - | - | - |
| 9 | 6.8 | 8 | 0.5未満 | 0.02未満 | 0.01未満 | 0.01未満 | | |